

**NEW
PRICE - LIST**
EFFECTIVE FROM 1ST JUNE 2018

COMPRESSION TOOLS



Jainson
The Interface Partner

VIRAT-6

NON - INSULATED TERMINAL CRIMPING TOOL



Capacity : 0.5mm² to 6mm² **Weight :** 400 gm.
MRP.: 610/-

JOP-427

NON - INSULATED TERMINAL CRIMPING TOOL



Capacity : 1.5mm² to 10mm² **Weight :** 525 gm.
MRP.: 800/-

SAMRAT-16

NON - INSULATED TERMINAL CRIMPING TOOL



Capacity : 0.5mm² to 16mm² **Weight :** 700 gm.
MRP.: 850/-

VIKRANT-50

NON - INSULATED TERMINAL CRIMPING TOOL
(DIELESS)



Capacity : 6mm² to 50mm² **Weight :** 1.600kg.
MRP.: 1,300/-

TRISHUL (3 in 1)

INSULATED TERMINAL CRIMPING TOOL



Capacity : 1.5,2.5,4-6mm² **Weight :** 550gm.
MRP.: 1,470/-

LUV-KUSH-6

OPEN BARREL TAB TERMINAL CRIMPING TOOL



Capacity : 0.5-1.0,1.1-2.5,4-6mm² **Weight :** 550gm.
MRP.: 1,590/-

CHETAK-6

END SEALING FERRULES CRIMPING TOOL



Capacity : 0.5mm² to 6mm² **Weight :** 550gm.
MRP.: 1,470/-

CHETAK-16

END SEALING FERRULES CRIMPING TOOL



Capacity : 10mm² to 16mm² **Weight :** 550gm.
MRP.: 1,470/-

CHAKRA-6

END SEALING FERRULES CRIMPING TOOL (DIELESS) (4 SPOTS CRIMPING)



Capacity : 0.5mm² to 6mm² Weight : 400gm.
MRP.: 1,550/-

CHAKRA-16

END SEALING FERRULES CRIMPING TOOL (DIELESS) (4 SPOTS CRIMPING)



Capacity : 4mm² to 16mm² Weight : 520gm.
MRP.: 1,860/-

SPIDER-6

END SEALING FERRULES CRIMPING TOOL (DIELESS) (6 SPOTS CRIMPING)



Capacity : 0.5mm² to 6mm² Weight : 400gm.
MRP.: 2,190/-

ARJUN-50

HEAVY DUTY COMPRESSION TOOL (DIELESS)



Capacity : 16,25,35,50mm² Weight : 2.600Kg.
MRP.: 2,250/-

AGNEE-95

(DIELESS)



Capacity : 10mm² to 95mm² Weight : 3.600Kg.
MRP.: 5,600/-

EKLOVYA-120

(GEAR POWERED-DIELESS)



Capacity : 10mm² to 120mm² Weight : 2.400Kg.
MRP.: 7,900/-

AGNEE-95

(DIELESS)



Capacity : 10mm² to 95mm² Weight : 3.600Kg.
MRP.: 5,600/-

EKLOVYA-120

(GEAR POWERED-DIELESS)



Capacity : 10mm² to 120mm² Weight : 2.400Kg.
MRP.: 7,900/-

TRISHAKTI

INSULATED / NON INSULATED & END SEALING FERRULES CRIMPING TOOL



MRP.: 3,200/-



Capacity.: 1.5mm² to 10mm² (NON INSULATED TERMINALS)



Capacity.: 1.5,2.5,4-6mm² (PRE INSULATED TERMINALS)



Capacity.: 1.5mm² to 10mm² (END SEALING FERRULES)



Weight : 650 gm.

GRD-95 (Ring)



Capacity : 10mm² to 95 mm² **Dies :** R-1 to R-10. (9 Sets)
Weight : 5.400Kg. (Except R-8) **MRP.:** 5,300/-

GRD-95 (Hexagonal)



Capacity : 10mm² to 95 mm² **Dies :** H-10 to H-95. (7 Sets)
Weight : 5.400Kg. **MRP.:** 5,300/-

GRD-185 (Ring)



Capacity : 10mm² to 185 mm² **Dies :** R-1 to R-13. (12 Sets)
Weight : 7.300Kg. (Except R-8) **MRP.:** 6,500/-


GRD-185 (Hexagonal)



Capacity : 10mm² to 185 mm² **Dies :** H-10 to H-185. (10 Sets)
Weight : 7.300Kg. **MRP.:** 6,500/-

VISHAL-185 (Ring)

Provided dual gripper system in jaws & dies for perfect crimping



Capacity : 10mm² to 185mm² **Dies :** R-1 to R-13. (12 Sets)
Weight : 7.100Kg. (Except R-8) **MRP.:** 5,800/-

VISHAL-185 (Hexagonal)

Provided dual gripper system in jaws & dies for perfect crimping



Capacity : 10mm² to 185mm² **Dies :** H-10 to H-185. (10 Sets)
Weight : 7.100Kg. **MRP.:** 5,800/-

SURYA-400 (Hexagonal)



Capacity : 25mm² to 400mm² **Dies :** H-25 to H-400 (11 Sets)
Weight : 7.300Kg. **Packing :** Steel Case **MRP.:** 11,300/-

SANGRAM-400 (Hexagonal)

GEAR POWERED



Coppr Tubuler : 25mm² to 300mm²
Aluminium Tubuler: 25mm² to 400mm²
Capacity : 25mm² to 400mm² **Dies :** H-25 to H-400 (11 Sets)
Weight : 5.800Kg. **MRP.:** 12,950/-

AAKASH-400 & AAKASH-500

(DIELESS)



AAKASH-400

Capacity : Up to 400mm²
Weight : 5.800Kg.

AAKASH-400 : MRP.: 19,990/-

AAKASH-500

Capacity : Up to 500mm²
Weight : 5.800Kg.

AAKASH-500 : MRP.: 20,750/-

SAGAR-400

FOOT OPERATED HYDRAULIC TOOL



Capacity : 25mm² to 400mm² **Dies :** H-25 to H-400.(11 Sets)

Weight : 17.500Kg.

MRP.: 27,500/-

HPCT-20A / HPCT-20B (Ring)



HPCT-20A

Capacity : Up to 300mm²
Dies : R-11 to R16.(6 Sets)
Weight : 15.100Kg.

MRP.: 23,500/-

HPCT-20B

Capacity : Up to 400mm²
Dies : R-11 to R18.(8 Sets)
Weight : 15.100Kg.

MRP.: 25,000/-

HPCT-20 (Hexagonal)



HPCT-20

Capacity : 50 to 400mm²
Dies : H-50 to H-400.(9 Sets)
Weight : 15.100Kg.

MRP.: 26,000/-

HPCT-150A (Ring)



HPCT-150A

Capacity : Up to 400mm²
Dies : R-11 to R-18.(8 Sets)
Weight : 26.500Kg.

MRP.: 30,950/-

HPCT-150B (Ring)



HPCT-150B

Capacity : Up to 1000mm²
Dies : R-11 to R-23, R-27, R-29.
(15 Sets)

Weight : 26.500Kg.

MRP.: 41,550/-

HPCT-150A (Hexagonal)



HPCT-150A

Capacity : 50 to 400mm²
Dies : H-50 to H-400.(9 Sets)
Weight : 26.500Kg.

MRP.: 32,950/-

HPCT-150B (Hexagonal)



HPCT-150B

Capacity : 50 to 1000mm²
Dies : H-50 to H-1000.(13 Sets)
Weight : 26.500Kg.

MRP.: 41,950/-



COMPRESSION TOOLS

Jainson
The Interface Partner

ASHOKA-400



Capacity : 25mm² to 400mm² **Dies :** H-25 to H-400 (11 Sets)
Weight : 8.500Kg. **MRP.:** 25,000/-

SHAKTI-400



Capacity : 25mm² to 400mm² **Dies :** H-25 to H-400 (11 Sets)
Weight : 8.500Kg. **MRP.:** 25,000/-

VARUN-400



Capacity : 25mm² to 400mm²
Dies : H-25 to H-400 (11 Sets)
Weight : 13.900Kg.

VARUN-400 With Hand Pump **MRP.:** 28,500/-
VARUN-400 With Foot Pump **MRP.:** 32,000/-

BHOOMI-400



Capacity : 25mm² to 400mm²
Dies : H-25 to H-400 (11 Sets)
Weight : 12.500Kg.

BHOOMI-400 With Hand Pump **MRP.:** 28,500/-
BHOOMI-400 With Foot Pump **MRP.:** 32,000/-

TEJAS-630



Capacity : 50mm² to 630mm²
Dies : H-50 to H-630 (11 Sets)
Weight : 17.900Kg.

TEJAS-630 With Hand Pump **MRP.:** 40,900/-
TEJAS-630 With Foot Pump **MRP.:** 44,400/-

PRITHVI-1000



Capacity : 50mm² to 1000mm²
Dies : H-50 to H-1000 (13 Sets)
Weight : 23.500Kg.

PRITHVI-1000 With Hand Pump **MRP.:** 44,900/-
PRITHVI-1000 With Foot Pump **MRP.:** 48,400/-

Nothing will work unless you do.
MAYA ANGELAI



COMPRESSION TOOLS

Jainson
The Interface Partner

CABLE CUTTER

TIGER-125



Length : 300 mm **Weight :** 700 gm.
MRP.: 1,300/-

TIGER-250



Length : 600 mm **Weight :** 1.2Kg.
MRP.: 2,400/-

TIGER-500



Length : 800 mm **Weight :** 2.8Kg.
MRP.: 3,000/-



JAGUAR-30 J



For cutting off steel wire ropes which is smaller than 100mm². For cutting off ACSR (Aluminium conductors cable Steel-Reinforced) which is smaller than 620mm².

Size : 405 x 160 x 64mm **Weight :** 3.6Kg.
MRP.: 19,000/-



JAGUAR-52 J



For cutting off copper & Aluminium in cable with diameter smaller than 500mm².

Size : 397 x 165 x 54mm **Weight :** 3.1Kg.
MRP.: 15,000/-



JAGUAR-75 J



For cutting off copper & aluminium in armoured cable with is smaller than 3 x 120 mm² or 75mm Ø. Also it is cutting off 3600 pairs of communication cables.

Size : 416 x 205 x 55mm **Weight :** 3.6Kg.
MRP.: 17,500/-



JAGUAR-95 J




For cutting off copper & aluminium in armoured cable with is smaller than 3 x 185mm² or 95 mm Ø

Size : 446 x 248 x 55mm **Weight :** 5Kg.
MRP.: 21,500/-



JAGUAR-100 J




For cutting off copper & aluminium in armoured cable with is smaller than 3 x 300mm² or 100mm Ø

Size : 482 x 270 x 59mm **Weight :** 6.6Kg.
MRP.: 44,000/-



JAGUAR-130 J



For cutting off copper & aluminium in armoured cable with a diameter smaller than 130mm Ø

Size : 524 x 328 x 59mm **Weight :** 8.3Kg.
MRP.: 54,000/-

PUMP

HPCT-20/HPCT-150



MRP.: 11,500/-

SAGAR-400



MRP.: 12,000/-

BHOOMI-400, VARUN-400, TEJAS-630 & PRITHVI-1000

HAND PUMP



MRP.: 13,500/-

BHOOMI-400, VARUN-400, TEJAS-630 & PRITHVI-1000

FOOT PUMP



MRP.: 17,000/-

JACK

HPCT-20



MRP.: 12,500/-

HPCT-150



MRP.: 18,000/-

SAGAR-400



MRP.: 14,500/-

VARUN-400



MRP.: 15,000/-

BHOOMI-400



MRP.: 15,000/-

TEJAS-630

PRITHVI-1000

HOSE PIPE



MRP.: 18,000/-



MRP.: 19,500/-



1/4" B.S.P
FOR HPCT-20/HPCT-150,
SAGAR-400

Length : 2mtrs MRP.: 1,300/-



3/8" B.S.P
VARUN-400 / BHOOMI-400
TEJAS-630 / PRITHVI-1000

Length : 2mtrs MRP.: 2,800/-

JUPITER-400 (POWER TOOLS)

TECHNICAL DATA	
Crimping force:	120KN
Stroke:	42mm
Crimp/charger:	120 times (Cu150mm ²)
Crimping cycle:	6s-18s (Depend on the size of cable)
Voltage:	18v
Capacity:	3.0Ah
Charging time:	2hours
Package:	Plastic box
ACCESSORIES:	
Crimping Hex dies:	16, 25, 35, 50, 70, 95, 120, 150, 165, 240, 300, 400
Battery:	2 pcs
Charger:	1 pcs
Sealing ring of cylinder:	1 set
Sealing ring of safety valve:	1 set




MRP.: 1,45,000/-

ACC-50

ANTI CORROSIVE COMPOUND FOR ELECTRICAL JOINTS.



Weight : 50 gm
MRP.: 40/-





COMPRESSION TOOLS

Jainson
The Interface Partner

CRIMPING JIGS

GRD-95/GRD-185

RING TYPE DIES



PUNCH TYPE DIES
R-12, R-13

MRP: 390/- Each.
R-1, R-2, R-3, R-4, R-5,
R-6, R-7, R-9, R-10, R-11.

MRP: 270/- Each.

GRD-95/GRD-185

HEXAGONAL TYPE DIES



H-10, H-16, H-25, H-35,
H-50, H-70, H-95,
H-120, H-150, H-185.

MRP: 310/- Each.

VISHAL-185

RING TYPE DIES



R-1, R-2, R-3, R-4,
R-5, R-6, R-7, R-9,
R-10, R-11, R-12, R-13.

MRP: 340/- Each.

VISHAL-185

HEXAGONAL TYPE DIES



H-10, H-16, H-25, H-35,
H-50, H-70, H-95,
H-120, H-150, H-185.

MRP: 370/- Each.

SURYA-400

HEXAGONAL TYPE DIES



H-25, H-35,
H-50, H-70, H-95,
H-120, H-150, H-185,
H-240, H-300, H-400.

MRP: 590/- Each.

SANGRAM-400

HEXAGONAL TYPE DIES



H-25, H-35,
H-50, H-70, H-95,
H-120, H-150, H-185,
H-240, H-300, H-400.

MRP: 780/- Each.

SAGAR-400

HEXAGONAL TYPE DIES



H-25, H-35,
H-50, H-70, H-95,
H-120, H-150, H-185,
H-240, H-300, H-400.

MRP: 920/- Each.

ADOPTER BLOCK



ADOPTER BLOCK FOR
HPCT-150 TOOLS TO USE
GRD-95, HPCT-20 DIES

MRP: 3,400/- Each.

HPCT-20

RING TYPE DIES



R-11,
R-12,
R-13,
R-14,
R-15.

MRP: 1,050/- Each.



R-16,
R-17,
R-18.

MRP: 1,800/- Each.

HPCT-20

HEXAGONAL TYPE DIES



H-50,
H-70,
H-95,
H-120,
H-150,
H-185,
H-240,
H-300.

MRP: 1,100/- Each.



H-400.

MRP: 2,200/- Each.

HPCT-150

RING TYPE DIES



R-4, R-5,
R-6, R-7,
R-9, R-10,
R-11, R-12,
R-13, R-14,
R-15, R-16,
R-17, R-18.

MRP: 1,900/- Each.



R-19,
R-20,
R-21,
R-22,
R-23,
R-27,
R-29.

MRP: 2,250/- Each.

HPCT-150

HEXAGONAL TYPE DIES



H-50, H-70,
H-95, H-120,
H-150, H-185,
H-240, H-300,
H-400.

MRP: 2,050/- Each.



H-500,
H-630,
H-800,
H-1000.

MRP: 3,000/- Each.

BHOOMI-400 & SHAKTI-400

HEXAGONAL TYPE DIES



H-25, H-35, H-50,
H-70, H-95, H-120,
H-150, H-185, H-240,
H-300, H-400.

MRP: 1,000/- Each.

ASHOKA-400

HEXAGONAL TYPE DIES



H-25, H-35, H-50,
H-70, H-95, H-120,
H-150, H-185, H-240,
H-300, H-400.

MRP: 1,000/- Each.

VARUN-400

HEXAGONAL TYPE DIES



H-25, H-35, H-50,
H-70, H-95, H-120,
H-150, H-185, H-240,
H-300, H-400.

MRP: 1,000/- Each.

TEJAS-630

HEXAGONAL TYPE DIES



H-50, H-70, H-95,
H-120, H-150, H-185,
H-240, H-300, H-400,
H-500, H-630.

MRP: 2,100/- Each.

PRITHVI-1000

HEXAGONAL TYPE DIES



H-50, H-70, H-95, H-120,
H-150, H-185, H-240,
H-300, H-400, H-500,
H-630, H-800, H-1000.

MRP: 2,900/- Each.

SUITABLE DIE CHART

RING TYPE DIES

CRIMPING COPPER & ALUMINIUM TERMINAL ENDS,
FITTED TO GRD-95, GRD-185,
VISHAAL-185, HPCT-20, HPCT-150.

DIE REF.	CUS SOCKET mm ²	ALS SOCKET mm ²
R-1	10 CA	10 AA
R-2	16 CA	16 AA
R-3	25 CA	-----
R-4	35 CA	25 AA
R-5	-----	35 AA
R-6	50 CA	-----
R-7	70 CA	50 AA
R-9	95 CA	70 AA
R-10	120 CA	95 AA
R-11	150 CA	120 AA
R-12	185 CA	150 AA
R-13	-----	185 AA

DIE REF.	CUS SOCKET mm ²	ALS SOCKET mm ²
R-14	240 CA	225 AA
R-15	300 CA	240 AA
R-16	-----	300 AA
R-17	400 CA	-----
R-18	500 CA	400 AA
R-19	625 CA	-----
R-20	-----	500 AA
R-21	-----	625 AA
R-22	1000 CA	-----
R-23	800 CA	-----
R-27	-----	800 AA
R-29	-----	1000AA

Crimping Jig (R-8) is not available for any tool.

HEXAGONAL TYPE DIES

CRIMPING COPPER & ALUMINIUM TERMINAL ENDS,
FITTED TO GRD-95, GRD-185, VISHAAL-185,
SANGRAM-400, SURYA-400, SAGAR-400, HPCT-20,
HPCT-150, ASHOKA-400, SHAKTI-400, BHOOMI-400 &
VARUN-400, TEJAS-630, PRITHVI-1000.

DIE REF.	CUS SOCKET mm ²	ALS SOCKET mm ²
H-10	16	10
H-16	25	16
H-25	35	25
H-35	50	35
H-50	70	50
H-70	95	70
H-95	120	95
H-120	150	120
H-150	185	150

DIE REF.	CUS SOCKET mm ²	ALS SOCKET mm ²
H-185	225/240	185
H-240	300	225/240
H-300	400	300
H-400	500	400
H-500	630	500
H-630	800	630
H-800	1000	800
H-1000	-----	1000
-----	-----	-----



END SEALING FERRULES CRIMPING TOOL (4 SPOTS CRIMPING)



MRP.: 1,550/-



CHAKRA-6

(DIELESS)

- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.5mm² to 6mm².
- Self Adjustable Crimping Pliers.
- When Crimping with force the gripping force will evenly transfer to all the section i.e (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

Capacity : 0.5mm² to 6mm² Weight : 400gm.

END SEALING FERRULES CRIMPING TOOL (4 SPOTS CRIMPING)



MRP.: 1,860/-



CHAKRA-16

(DIELESS)

- Light Weight Ratchet type Crimping Plier to crimp end sealing Ferrules 4mm² to 16mm².
- Self Adjustable Crimping Pliers.
- When Crimping with force the gripping force will evenly transfer to all the section i.e (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

Capacity : 4mm² to 16mm² Weight : 520gm.

END SEALING FERRULES CRIMPING TOOL (6 SPOTS CRIMPING)



MRP.: 2,190/-



SPIDER-6

(DIELESS)

- The design is unique due to light weight and energy saving .
- Light Weight Ratchet type Crimping Plier to crimp end sealing Ferrules 0.5mm² to 6mm².
- When Crimping with force the gripping force will evenly transfer to all the section i.e (6 spots) of crimping terminal.
- Length of the pliers body is 175 mm.

Capacity : 0.5mm² to 6mm² Weight : 400gm.

SOLAR CRIMPING TOOL



MRP.: 4,300/-

MC-4

- MC 4 Male & Female Solar Connectors Crimping Tools Adopt High Precision Ratchet mechanism for complete crimps.
- MC 4 has 1.2 metric tons pressure at crimping force with minimum hand effort.
- EDM Crimping Jaw ensure an accurate crimping result.
- TPR+PP Handle material & ergonomically handle shape reducing the working fatigue.
- AWG - 14 - 10 AWG
- Length - 270 mm

Capacity : 2.5/ 4 / 6mm² Weight : 670gm.

INSULATED / NON INSULATED & END SEALING FERRULES CRIMPING TOOL



MRP.: 3,200/-

Weight : 650gm.

TRISHAKTI

- The tools is specially designed with precise crimping die sets without screw fixing.
- You can replace the die sets only by pushing ahead.
- Ideal crimping Tool for the connection of the power distributing cabinet.
- Provide - 2 sets of dies at both side for using and storing easily.



Capacity : 1.5mm² to 10mm²
(NON INSULATED TERMINALS)



Capacity : 1.5,2.5,4-6mm²
(PRE INSULATED TERMINALS)



Capacity : 1.5mm² to 10mm²
(END SEALING FERRULES)



INSULATED TERMINAL CRIMPING TOOL



MRP.: 1980/-



- JN 001 is New Generation of Energy Saving Ratchet Type Crimping Plier.
- JN 001 Crimping Plier Suitable For Insulated Terminal Ends.
- AWG - 20 - 10 AWG • Length of plier - 250 mm
- New leverage design, saves at least 35% energy compared to common crimping tools.
- All key parts of the tools have been specially harden.

Capacity : 0.5mm² to 6mm² Weight : 550grm.

JN 001

END SEALING FERRULES CRIMPING TOOL



MRP.: 1980/-



- JN 002 is New Generation of Energy Saving Ratchet Type Crimping Plier.
- JN 002 Crimping Plier Suitable For End Sealing Ferrules.
- AWG - 20 - 10 AWG • Length of plier - 250 mm
- New leverage design, saves at least 35% energy compared to common crimping tools.
- All key parts of the tools have been specially harden.

Capacity : 0.5mm² to 6mm² Weight : 550grm.

JN 002

OPEN BARREL TAB TERMINAL CRIMPING TOOL



MRP.: 1980/-



- New Generation of Energy Saving Ratchet Type Crimping Plier.
- JN 003 crimping plier suitable for open barrel tab terminal & receptacles.
- AWG - 16 - 10 AWG • Length of plier - 250 mm
- New leverage design, saves at least 35% energy compared to common crimping tools.
- All key parts of the tools have been specially harden.

Capacity : 0.5mm² to 6mm² Weight : 550grm.

JN 003

INSULATED TERMINAL CRIMPING TOOL



MRP.: 1680/-



- JN 004 is European Style Ratchet Type Crimping Plier.
- JN 004 Crimping Plier Suitable for Insulated Terminal Ends.
- AWG - 22 - 10 AWG • Length of plier - 220 mm

Capacity : 0.5mm² to 6mm² Weight : 490grm.

JN 004

END SEALING FERRULES CRIMPING TOOL



MRP.: 1680/-



- JN 005 is European Style Ratchet Type Crimping Plier.
- JN 005 Crimping Plier Suitable for End Sealing Ferrules.
- AWG - 20 - 10 AWG • Length of plier - 220 mm

Capacity : 0.5mm² to 6mm² Weight : 490grm.

JN 005

END SEALING FERRULES CRIMPING TOOL



MRP.: 1680/-



- JN 006 is European Style Ratchet Type Crimping Plier.
- JN 006 Crimping Plier Suitable for End Sealing Ferrules.
- AWG - 16 - 8 AWG • Length of plier - 220 mm

Capacity : 6mm² / 10mm² / 16mm² Weight : 490grm.

JN 006

END SEALING FERRULES CRIMPING TOOL



MRP.: 1980/-



- JN 007 is European Style Ratchet Type Crimping Plier.
- JN 007 Crimping Plier Suitable for End Sealing Ferrules.
- AWG - 8 - 2 AWG • Length of plier - 220 mm

Capacity : 10mm² / 16mm² / 25mm² / 35mm² Weight : 490grm.

JN 007



INSULATED TERMINAL CRIMPING TOOL

JN 008

MRP.: 1680/-



- JN 008 is European Style Ratchet Type Crimping Plier.
- JN 008 Crimping Plier Suitable for Insulated Terminal Ends.
- AWG - 22 - 10 AWG
- Length of plier - 230 mm

Capacity : 0.5mm² to 6mm² Weight : 600gm.

END SEALING FERRULES CRIMPING TOOL

JN 009

MRP.: 1680/-



- JN 009 is European Style Ratchet Type Crimping Plier.
- JN 009 Crimping Plier Suitable for End Sealing Ferrules
- AWG - 20 - 10 AWG
- Length of plier - 230 mm

Capacity : 0.5mm² to 6mm² Weight : 600gm.

END SEALING FERRULES CRIMPING TOOL

JN 010

MRP.: 1680/-



- JN 010 is European Style Ratchet Type Crimping Plier.
- JN 010 Crimping Plier Suitable for End Sealing Ferrules
- AWG - 16 - 8 AWG
- Length of plier - 230 mm

Capacity : 6mm² / 10mm² / 16mm² Weight : 600gm.

END SEALING FERRULES CRIMPING TOOL

JN 011

MRP.: 1680/-



- JN 011 is European Style Ratchet Type Crimping Plier.
- JN 011 Crimping Plier Suitable for End Sealing Ferrules.
- AWG - 24 - 10 AWG
- Length of plier - 203 mm

Capacity : 0.25mm² to 6mm² Weight : 400gm.

OPEN BARREL TAB TERMINAL CRIMPING TOOL

JN 012

MRP.: 1680/-



- JN 012 is European Style Ratchet Type Crimping Plier.
- JN 012 Crimping Plier Suitable for Open Barrel Tab Terminal & receptacles.
- AWG - 16 - 10 AWG
- Length of plier - 230 mm

Capacity : 0.5mm² to 6mm² Weight : 600gm.

END SEALING FERRULES CRIMPING TOOL

JN 013

MRP.: 1680/-



- JN 013 is European Style Ratchet Type Crimping Plier.
- JN 013 Crimping Plier Suitable for End Sealing Ferrules.
- AWG - 24 - 10 AWG
- Length of plier - 190 mm

Capacity : 0.25mm² to 6mm² Weight : 370gm.**TIGER 35**

MRP.: 600/-

- Tiger 35 Cable Cutter Suitable for up to 35 mm²
- Not for Cutting Steel & Steel wire.
- Hardened long lifetime.
- Length - 165 mm

Capacity : up to 35mm² Weight : 140gm.

NEW PRICE - LIST
EFFECTIVE FROM 1ST JUNE 2018

SMART Series
CRIMPING SYSTEM



Jainson
The Interface Partner



MRP.: 500/-

Weight : 150gm.

PUMA CUTTER

- Puma Cutter is Suitable for Cutting Wire.
- Automatic Rebound Spring.
- No damaging of the conductor core.
- Length -165 mm
- Not suitable for cutting steel & steel wire.



MRP.: 500/-

Weight : 160gm.

PUMA CUTTER & STRIPPER

- Puma Cutter & Stripper Suitable for Cutting Wire & Stripping Wire 0.9 mm² to 6 mm².
- Automatic Rebound Spring.
- No damaging of the conductor core.
- Length -150 mm
- Not suitable for cutting steel & steel wire.



MRP.: 1050/-

Weight : 290gm.

TIGER 70 (A)

- Tiger 70 (A) Cable Cutter is Suitable for 70 mm²
- Not for Cutting Steel & Steel wire.
- Hardened long lifetime.
- Length - 220 mm



MRP.: 1050/-

Weight : 290gm.

TIGER 70 (B)

- Tiger 70 (B) Suitable for Cutting 70 mm² Cable.
- Not for Cutting Steel & Steel wire.
- Hardened long lifetime.
- Length - 220 mm



MRP.: 1550/-

Weight : 300gm.

ZEBRA STRIPPER & CUTTER

- Zebra Wire Stripper & Cutter is Easy Stripping Without any adjustment.
- Multifunction made of steel by special hardened with long lifetime.
- For Stripping Wire from AWG 24 - 10 (0.2 mm² to 6 mm²)
- Suitable for wire Stripping & Cutting
- Length - 205 mm



MRP.: 950/-

Weight : 90gm.

PANTHER CABLE KNIFE (A)

- Panther Cable Knife (A) is Fixed Hook Blade.
- No damage of the Conductor Core.
- Blade made of Stainless Steel.
- Ergonomically designed safety handle.
- With transparent protective cap.
- Stripping for Wire & Cable for 38 mm² • Length - 155 mm



MRP.: 950/-

Weight : 75gm.

PANTHER CABLE KNIFE (B)

- Panther Cable Knife is Fixed Straight Blade.
- No damage of the Conductor Core.
- Blade made of Stainless Steel.
- Ergonomically designed safety handle.
- With transparent protective cap.
- Stripping for Wire & Cable for 50 mm² • Length - 180 mm